

Table 1. Retention and Response Rates of Wisconsin Longitudinal Study 1957-2005

Survey year/wave	Variables used	Total Sample	Not Eligible	Final Samp	Interviews			Non-response					
					Sub-total	As Res-pondent	Repro-duced from original grad or sib	Sub-total	Refusals		Non-contacts	Deceased	Unknown Eligibility
									Can't reprod. from grad or sib	Re-fused			
1957 Grad		10317		10317									
1964 Grad	liv64, stat75	10317		10317	8922	8922		1395			1324		71
1975 Grad	stat75	10317		10317	9138	9138		1179		387	617		175
1993 Grad Phone	stat92p	10317		10317	8493	8493		1824		670	567		587
1993 Grad Mail	stat92p, stat92m	10317		10317	6875	6875		3442		2120	735		587
1993 Grad Phone or Mail	stat92p, stat92m	10317		10317	8493	8493		1824		670	567		587
2004 Grad Phone	stat04p	10317		10317	7265	7265		3052		1020	744		1288
2004 Grad Mail	stat04m	10317		10317	6845	6845		3472		1399	785		1288
2004 Grad Phone or Mail	stat04p, stat04m	10317		10317	7732	7732		2585		646	651		1288
2004 Grad Spouse Phone	stat04gs	10317	2834	7483	4076	3890	186	3407		1202	2183		22
Medicare Part D SAQ	statmdsq	10317		10317	5532	5532		4785		2710	593		1482
Return of Oragene Kit	statkdna	10317		10317	4592	4592		5725		3864	371		1490
Consent to use Oragene Kit	statcdna	10317		10317	4576	4576		5741		3880	371		1490
Returned Kit and Consent	statkdna, statcdna	10317		10317	4574	4574		5743		3882	371		1490
1977 Sib	xstat77	10317	7879	2438	2133	2108	25	305	1	110	185		9
1994 Sib Phone	xstat93p, sibslv	10317	1715	8602	4804	4778	26	3798		709	1837		462
1994 Sib Mail	xstat93m, sibslv	10317	746	9571	4065	4039	26	5506		1239	3015		462
(Assumption A*)													
1994 Sib Mail	xstat93m, sibslv	10317	746	9571	4065	4039	26	5506		1647	2607		462
(Assumption B*)													
1994 Sib Phone or Mail	xstat93p, xstat93m, sibslv	10317	746	9571	5365	5339	26	4206		709	2245		462
(Assumption A*)													
1994 Sib Phone or Mail	xstat93p, xstat93m, sibslv	10317	746	9571	5365	5339	26	4206		1117	1837		462
(Assumption B*)													
2005 Sib Phone	xstat05p	10317	790	9527	4298	4271	27	5229		934	1470		1226
2005 Sib Mail	xstat05m	10317	790	9527	4004	3977	27	5523		1333	1365		1226
2005 Sib Phone or Mail	xstat05p, xstat05m	10317	790	9527	4703	4676	27	4824		634	1365		1226
2005 Sib Spouse Phone	xstat05s	10317	2970	7347	2180	2125	55	5167		815	2733		22

\* We use the outcome of telephone interview to determine the response status (refusal or noncontact) for respondents who did not return the mail survey. If the telephone interview had never been fielded, the response status for the mail survey could not be ascertained. However, the actual response rates should fall approximately between those based on Assumption A and Assumption B, where Assumption A counts those not sent for telephone interview and not returning the mail survey (xstat93p=10 & xstat93m=3) as noncontact while Assumption B counts them as refusal.

Table 1. Retention and Response Rates of Wisconsin Longitudinal Study 1957-2005 -- Con.

Survey year/wave	Retention rate = Interviews/Final Sample	Retention rate w/ deaths censored = Interviews/(Final Sample - Deceased)	Response rate = Interviews/(Final Sample - Deceased - Noncontact)	Retention rate w/ deaths and unknown eligibility censored = Interviews/(Final Sample - Unknown eligibility - Deceased)	Response rate excl. unknown eligibility = Interviews/(Final Sample - Unknown eligibility - Deceased - Noncontact)
1957 Grad					
1964 Grad	86.48%	87.08%	87.08%		
1975 Grad	88.57%	90.10%	95.94%	90.10%	95.94%
1993 Grad Phone	82.32%	87.29%	92.69%	87.29%	92.69%
1993 Grad Mail	66.64%	70.66%	76.43%	70.66%	76.43%
1993 Grad Phone or Mail	82.32%	87.29%	92.69%	87.29%	92.69%
2004 Grad Phone	70.42%	80.46%	87.69%	80.46%	87.69%
2004 Grad Mail	66.35%	75.81%	83.03%	75.81%	83.03%
2004 Grad Phone or Mail	74.94%	85.64%	92.29%	85.64%	92.29%
2004 Grad Spouse Phone	54.47%	54.63%	77.23%	54.63%	77.23%
Medicare Part D SAQ	53.62%	62.61%	67.12%	62.61%	67.12%
Return of Oragene Kit	44.51%	52.02%	54.30%	52.02%	54.30%
Consent to use Oragene Kit	44.35%	51.84%	54.12%	51.84%	54.12%
Returned Kit and Consent	44.33%	51.82%	54.09%	51.82%	54.09%
1977 Sib	87.49%	87.81%	95.05%	87.81%	95.05%
1994 Sib Phone	55.85%	59.02%	76.22%	65.36%	87.14%
1994 Sib Mail	42.47%	44.63%	66.70%	48.86%	76.64%
(Assumption A*)					
1994 Sib Mail	42.47%	44.63%	62.52%	48.86%	71.17%
(Assumption B*)					
1994 Sib Phone or Mail	56.05%	58.90%	78.16%	64.49%	88.33%
(Assumption A*)					
1994 Sib Phone or Mail	56.05%	58.90%	73.78%	64.49%	82.77%
(Assumption B*)					
2005 Sib Phone	45.11%	51.78%	62.92%	64.13%	82.15%
2005 Sib Mail	42.03%	48.24%	57.73%	59.74%	75.02%
2005 Sib Phone or Mail	49.36%	56.66%	67.81%	70.17%	88.12%
2005 Sib Spouse Phone	29.67%	29.76%	47.47%	38.06%	72.79%

\* We use the outcome of telephone interview to determine the response status (refusal or noncontact) for respondents who did not return the mail survey. If the telephone interview had never been fielded, the response status for the mail survey could not be ascertained. However, the actual response rates should fall approximately between those based on Assumption A and Assumption B, where Assumption A counts those not sent for telephone interview and not returning the mail survey (xstat93p=10 & xstat93m=3) as noncontact while Assumption B counts them as refusal.

Table 2. Definition and Classification of Response Status for Wisconsin Longitudinal Study 1957-2005

Instrument	Respondent	Nonrespondent			Unknown Eligibility	Reproduced Cases	Not eligible
		Refusal	Noncontact	Deceased			
1964 Grad Status (liv64)	<ul style="list-style-type: none"> <li>Living (liv64=3 : 8922 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Nonrespondent [(liv64=-3 : 1329 cases) - (stat75=6: additional 5 cases later found deceased prior to 1964) = 1324 cases]</li> </ul>		<ul style="list-style-type: none"> <li>Dead -- no other information (liv64=1 : 39 cases)</li> <li>Deceased prior to 1964 (based on info gathered from 1975 survey: 5 cases)</li> <li>Dead -- some information given (liv64=2 : 27 cases)</li> </ul>			
1975 Grad Interview (stat75)	<ul style="list-style-type: none"> <li>Interviewed (stat75=1 : 9138 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Refused--completed less than Q28 of 1975 Q (stat75=2 : 387 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Unpublished phone (stat75=3 : 50 cases)</li> <li>No phone (stat75=4 : 136 cases)</li> <li>Handicapped (stat75=5 : 15 cases)</li> <li>Out of U.S.A. (stat75=9 : 127 cases)</li> <li>Not found (stat75=10 : 289 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Deceased prior to 1964 (stat75=6 : 71 cases)</li> <li>Deceased after 1964 (stat75=7 : 93 cases)</li> <li>Deceased--date unknown (stat75=8 : 11 cases)</li> </ul>			
1993 Grad Phone Interview (stat92p)	<ul style="list-style-type: none"> <li>Phone interview completed (stat92p=1 : 8493 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Sent to be interviewed, refused (stat92p=3 : 583 cases)</li> <li>Sent to be interviewed, never started (stat92p=4 : 79 cases)</li> <li>Not sent, respondent refused to participate during tracing (stat92p=8 : 5 cases)</li> <li>Interviewed, responses unreasonable, data deleted from analysis file (stat92p=9 : 3 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Sent to be interviewed, R unable to be interviewed, can't retrace, out of country, unlisted phone # (stat92p=2 : 261 cases)</li> <li>Not sent, unable to locate or respondent unable to be interviewed (stat92p=7 : 306 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Sent to be interviewed, deceased (stat92p=5 : 35 cases)</li> <li>Not sent to be interviewed, deceased (stat92p=6 : 552 cases)</li> </ul>			
1993 Grad Mail Interview (stat92m)	<ul style="list-style-type: none"> <li>Mail interview completed (stat92m=1 : 6875 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Send mail Q, but did not return (stat92m=2, all with stat92p=1 : 1450 cases)</li> <li>No mail Q sent, no phone interview due to refusal (stat92m=3 &amp; stat92p=3 : 583 cases)</li> <li>No mail Q sent, no phone interview due to never start (stat92m=3 &amp; stat92p=4 : 79 cases)</li> <li>No mail Q sent, no phone interview due to refusal during tracing (stat92m=3 &amp; stat92p=8 : 5 cases)</li> <li>Mail interview completed, but not kept because of unreasonable responses (stat92m=5, all with stat92p=9 : 3 cases)</li> </ul>	<ul style="list-style-type: none"> <li>No mail Q sent, no phone interview due to R unable to be interviewed, retraced, being out of county, or with unlisted phone # (stat92m=3 &amp; stat92p=2 : 261 cases)</li> <li>No mail Q sent, no phone interview due to unable to locate or interview (stat92m=3 &amp; stat92p=7 : 306 cases)</li> <li>No mail Q sent, phone interview completed but survey center did not mail questionnaire (stat92m=4, all with stat92p=1 : 168 cases)</li> </ul>	<ul style="list-style-type: none"> <li>No mail Q sent, no phone interview due to death (stat92m=3 &amp; stat92p=5, 6 : 587 cases)</li> </ul>			

Instrument	Respondent	Nonrespondent			Unknown Eligibility	Reproduced Cases	Not eligible
		Refusal	Noncontact	Deceased			
2004 Grad Phone Interview (stat04p)	<ul style="list-style-type: none"> <li>Completed interview (stat04p=1 : 7063 cases)</li> <li>Useable partial, out of field before completion (stat04p=2 : 44 cases)</li> <li>Useable partial, refused to complete (stat04p=3 : 158 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Unusable partial, out of field before completion (stat04p=4 : 38 cases)</li> <li>Unusable partial, refused to complete (stat04p=5 : 183 cases)</li> <li>Refusal for entire field period (stat04p=6 : 772 cases)</li> <li>Nonfielded--request no further contact (stat04p=11 : 24 cases)</li> <li>Completed interview, later request to delete (stat04p=14 : 3 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Fielded - unable to proceed with the interview due to illness or to physical or mental disability (stat04p=8 : 39 cases)</li> <li>Nonfielded--permanent handicap (stat04p=9 : 3 cases)</li> <li>Nonfielded--nonrespondent in both 75 &amp; 93 (stat04p=10 : 416 cases)</li> <li>Fielded -- noncontact (stat04p=13 : 279 cases)</li> <li>Nonfielded -- error (stat04p=15 : 7 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Deceased (stat04p=7 : 1288 cases)</li> </ul>			
2004 Grad Mail Interview (stat04m)	<ul style="list-style-type: none"> <li>Mail returned, entire phone interview completed (stat04m=1 : 6279 cases)</li> <li>Mail returned, partial useable phone completed (stat04m=2 : 99 cases)</li> <li>Mail returned, no useable phone (stat04m=3, includes stat92p=4,5,6,8,13 : 467 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Mail sent but not returned, made contact in phone interview (stat04m=4 &amp; stat04p=1,2,3,4,5,6,14 : 1375 cases)</li> <li>Mail not sent, phone interview not fielded because request no further contact (stat04m=5 &amp; stat04p=11 : 24 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Mail sent but not returned, unable to proceed with phone interview due to illness (stat04m=4 &amp; stat04p=8 : 15 cases)</li> <li>Mail sent but not returned, phone interview fielded but noncontact (stat04m=4 &amp; stat04p=13 : 192 cases)</li> <li>Mail not sent, no phone interview due to illness, handicap or noncontact (stat04m=5 &amp; stat04p=8,9,13 : 21 cases)</li> <li>Mail not sent, phone interview not fielded -- error (stat04m=5 &amp; stat04p=15 : 7 cases)</li> <li>Mail not sent, made contact in phone interview, including completed, partials and refusal (stat04m=5 &amp; stat04p=1,2,3,5,6 : 134 cases)</li> <li>Mail not sent, nonrespondent in both 75 &amp; 93 (stat04m=5 &amp; stat04p=10 : 416 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Mail sent but not returned, deceased (stat04m=4 &amp; stat04p=7 : 2 cases)</li> <li>Mail not sent, deceased (stat04m=5 &amp; stat04p=7 : 1286 cases)</li> </ul>			
2004 Grad Spouse Phone Interview (stat04gs)	<ul style="list-style-type: none"> <li>Complete interview (stat04gs=1 : 3857 cases)</li> <li>Useable partial, out of field before completion (stat04gs=2 : 5 cases)</li> <li>Useable partial, refused to complete (stat04gs=3 : 28 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Unusable partial, out of field before completion (stat04gs=4 : 2 cases)</li> <li>Unusable partial, refused to complete (stat04gs=5 : 23 cases)</li> <li>Refusal for entire field period (stat04gs=6 : 1177 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Fielded -- unable (stat04gs=8 : 86 cases)</li> <li>Fielded -- noncontact (stat04gs=13 : 109 cases)</li> <li>Grad (if not deceased) did not complete the entire phone interview in 2004 (stat04gs=18 &amp; stat04p not =7 : 1962 cases)</li> <li>Nonfielded -- out of field before retrace complete (stat04gs=20 : 26 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Deceased (stat04gs=7 : 22 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Nonfielded -- spouse also grad (stat04gs=16 : 156 cases)</li> <li>Nonfielded -- spouse also sib and grad not deceased (stat04gs=17 &amp; stat04p not =7 : 28 cases)</li> <li>Nonfielded -- spouse also sib and grad deceased (stat04gs=17 &amp; stat04p=7 : 2 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Grad not married in 2004 (stat04gs=19 : 1534 cases)</li> <li>Nonfielded -- divorced according to spouse fielding attempt (stat04gs=15 : 14 cases)</li> <li><b>Grad did not complete the entire phone interview in 2004 due to death (stat04gs=18 &amp; stat04p=7 : 1286 cases)</b></li> </ul>	

Instrument	Respondent	Nonrespondent			Unknown Eligibility	Reproduced Cases	Not eligible
		Refusal	Noncontact	Deceased			
Medicare Part D SAQ (statmsdq)	<ul style="list-style-type: none"> <li>Complete (statmsdq=1 : 5532 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Refusal (statmsdq=6 : 279 cases)</li> <li>Request no further contact (statmsdq=10 : 73 cases)</li> <li>Sent to R, not returned by R or post office, address assumed correct (statmsdq=13 : 2358 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Out of field before completion (statmsdq=4 : 59 cases)</li> <li>Unable (statmsdq=8 : 3 cases)</li> <li>Sent to R, contact information apparently invalid, could not relocate (statmsdq=20 : 292 cases)</li> <li>Not sent to R, previous attempts to locate failed (statmsdq=22: 239 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Deceased (statmsdq=7 : 1482 cases)</li> </ul>			
Return of Oragene Kit (statkdna)	<ul style="list-style-type: none"> <li>Complete (statkdna=1 : 4592 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Refusal (statkdna=6 : 688 cases)</li> <li>Request no further contact (statkdna=10 : 73 cases)</li> <li>Sent to R, not returned by R or post office, address assumed correct; did not return consent (statkdna=13 &amp; statcdna not =1 : 3101 cases)</li> <li><b>Sent to R, not returned by R or post office, address assumed correct, but returned consent (statkdna=13 &amp; statcdna=1 : 2 cases)</b></li> </ul>	<ul style="list-style-type: none"> <li>Out of field before completion (statkdna=4 : 4 cases)</li> <li>Unable (statkdna=8 : 11 cases)</li> <li>Sent to R, contact information apparently invalid, could not relocate (statkdna=20 : 117 cases)</li> <li>Not sent to R, previous attempts to locate failed (statkdna=22 : 239 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Deceased (statkdna=7 : 1490 cases)</li> </ul>			
Consent to use Oragene kit (statcdna)	<ul style="list-style-type: none"> <li>Consent given (statcdna=1 : 4576 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Refusal (statcdna=6 : 686 cases)</li> <li>Request no further contact (statcdna=10 : 73 cases)</li> <li>Sent to R, not returned by R or post office, address assumed correct (statcdna=13 : 3121 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Out of field before completion (statcdna=4 : 4 cases)</li> <li>Unable (statcdna=8 : 11 cases)</li> <li>Sent to R, contact information apparently invalid, could not relocate (statcdna=20 : 117 cases)</li> <li>Not sent to R, previous attempts to locate failed (statcdna=22 : 239 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Deceased (statcdna=7 : 1490 cases)</li> </ul>			
1977 Sib-Respondent's Status (xstat77)	<ul style="list-style-type: none"> <li>Interviewed in 1977 (xstat77=1 : 2108 cases), <b>including 3 cases who were also interviewed as grads in 1975</b></li> </ul>	<ul style="list-style-type: none"> <li>Refusal -- completed less than Q19d of 1977 Q (xstat77=2 : 110 cases), <b>including 1 case who were also interviewed as grad in 1975</b></li> </ul>	<ul style="list-style-type: none"> <li>Inapp, 1975 respondent requested that sibling not be contacted (xstat77=-2 : 36 cases)</li> <li>Not found (xstat77=-1 : 38 cases)</li> <li>Unpublished phone (xstat77=3 : 13 cases)</li> <li>No phone (xstat77=4 : 35 cases)</li> <li>Handicapped (xstat77=5 : 13 cases)</li> <li>Sib--Respondent could not be contacted for duration of study (xstat77=9 : 5 cases)</li> <li>Out of U.S.A. (xstat77=7 : 45 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Deceased between 1975 and 1977 (xstat77=6 : 9 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Interviewed (as grads) in 1975 and reproduced interview for use in 1977 (xstat77=10 : 25 cases)</li> <li>Interviewed (as grads) in 1975 and interview not reproduced for use in 1977 (xstat77=11 : 1 case)</li> </ul>	<ul style="list-style-type: none"> <li>Nonsample, including supplementary sample (xstat77=-3 : 7879 cases)</li> </ul>	

Instrument	Respondent	Nonrespondent			Unknown Eligibility	Reproduced Cases	Not eligible
		Refusal	Noncontact	Deceased			
1994 Sib Phone Interview (xstat93p)	<ul style="list-style-type: none"> <li>• Phone interview complete (xstat93p=4 : 4778 cases)</li> </ul>	<ul style="list-style-type: none"> <li>• Sent to be interviewed, never started (xstat93p=1 : 162 cases)</li> <li>• Sent to be interviewed, refused (xstat93p=3 : 535 cases)</li> <li>• Not sent, sibling refused during tracing or primary respondent requested that sib not be contacted (xstat93p=13 : 12 cases)</li> </ul>	<ul style="list-style-type: none"> <li>• Sent to be interviewed, sib unable to be interviewed, can't retrace, out of country, unlisted phone # (xstat93p=2 : 201 cases)</li> <li>• Not sent, unable to locate or sib unable to be interviewed (xstat93p=7 : 530 cases)</li> <li>• Not sent, primary respondent not interviewed in 1992-1993 and sibling not interviewed in 1977 (xstat93p=9 : 724 cases)</li> <li>• Primary respondent not interviewed in 1975 but had at least one living sibling (xstat93p=12 &amp; sibslv&gt;0 : 382 cases)</li> <li>• Primary respondent has no siblings or refused to discuss siblings but had at least one living sibling (xstat93p=11 &amp; sibslv&gt;0 : 0 case)</li> </ul>	<ul style="list-style-type: none"> <li>• Sent to be interviewed, deceased (xstat93p=5 : 32 cases)</li> <li>• Not sent to be interviewed, deceased (xstat93p=6 : 430 cases)</li> </ul>	<ul style="list-style-type: none"> <li>• Primary respondent has no siblings or refused to discuss siblings, and had unknown # of living sibling (xstat93p=11 &amp; sibslv=-3 : 57 cases)</li> <li>• <b>Primary respondent not interviewed in 1975 and had unknown # of living sibling (xstat93p=12 &amp; sibslv=-3: 733 cases)</b></li> </ul>	<ul style="list-style-type: none"> <li>• Sib interviewed as an original respondent in 1992-1993 -- data reproduced in WLS23S (xstat93p=8 : 26)</li> </ul>	<ul style="list-style-type: none"> <li>• Primary respondent reported no living sibling (sibslv=0 &amp; xstat93p=11: 682 cases)</li> <li>• Primary respondent not interviewed in 1975 and reported no living sibling (sibslv=0 &amp; xstat93p=12: 64 cases)</li> <li>• Not sent, out of funds, groups 0 and 1, not 1977 selected sibling sample (xstat93p=10 : 969 cases)</li> </ul>
1994 Sib Mail Interview (xstat93m)	<ul style="list-style-type: none"> <li>• Mail Q and phone interview completed (xstat93m=1 : 3478 cases)</li> <li>• Mail Q completed, no phone interview completed (xstat93m=2 : 561 cases)</li> </ul>	<ul style="list-style-type: none"> <li>• Mail Q sent but not returned, refused phone interview (xstat93m=3 &amp; xstat93p=3 : 1 case)</li> <li>• Mail Q sent but not returned, completed phone interview (xstat93m=3 &amp; xstat93p=4 : 1226 cases)</li> <li>• No mail questionnaire sent, and for phone interview, sib refused during tracing or primary respondent requested that sib not be contacted (xstat93m=4 &amp; xstat93p=13 : 12 cases)</li> </ul>	<ul style="list-style-type: none"> <li>• Mail Q sent but not returned, nonfielded phone interview due to out of funds, group 0 and 1, or not 1977 selected sibling sample (xstat93m=3 &amp; xstat93p=10 : 408 cases)</li> <li>• No mail questionnaire sent, except for sib also grad, deceased or no grad sib (xstat93m=4 &amp; xstat93p=1,2,3,4,7,9 : 2225 cases)</li> <li>• No mail questionnaire sent, primary respondent not interviewed in 1975 and had at least one living sibling (xstat93m=4 &amp; xstat93p=12 &amp; sibslv&gt;0 : 382 cases)</li> </ul>	<ul style="list-style-type: none"> <li>• Mail Q sent but not return, nonfielded phone interview due to death (xstat93m=3 &amp; xstat93p=6 : 1 case)</li> <li>• No mail questionnaire sent, fielded or nonfielded phone interview due to death (xstat93m=4 &amp; xstat93p=5,6 : 461 cases)</li> </ul>	<ul style="list-style-type: none"> <li>• <b>No mail questionnaire sent, primary respondent not interviewed in 1975 with unknown # of living sibling (xstat93m=4 &amp; xstat93p=12 &amp; sibslv=-3 : 733 cases)</b></li> <li>• No mail questionnaire sent, primary respondent refused to discuss sibling and has unknown # of living sibling (xstat93m=4 &amp; xstat93p=11 &amp; sibslv=-3 : 57 cases)</li> </ul>	<ul style="list-style-type: none"> <li>• Interviewed as an original respondent in 1992-93 -- data reproduced for WLS23M; phone interview reproduced from 1993 grad data (xstat93m=5 &amp; xstat93p=8 : 23 cases)</li> <li>• Mail Q not sent; phone interview reproduced from 1993 grad data (xstat93m=4 &amp; xstat93p=8 : 3 cases)</li> </ul>	<ul style="list-style-type: none"> <li>• No Mail questionnaire sent, primary respondent not interviewed in 1975 and has no living sibling (xstat93m=4 &amp; xstat93p=12 &amp; sibslv=0 : 64 cases)</li> <li>• No mail questionnaire sent, primary respondent refused to discuss sibling and has no living sibling (xstat93m=4 &amp; xstat93p=11 &amp; sibslv=0 : 682 cases)</li> </ul>

Instrument	Respondent	Nonrespondent			Unknown Eligibility	Reproduced Cases	Not eligible
		Refusal	Noncontact	Deceased			
2005 Sib Phone Interview (xstat05p)	<ul style="list-style-type: none"> <li>Completed Interview (xstat05p=1 : 4096 cases)</li> <li>Useable partial, out of field before completion (xstat05p=2 : 39 cases)</li> <li>Useable partial, refused to complete (xstat05p=3 : 136 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Unusable partial, out of field before completion (xstat05p=4 : 23 cases)</li> <li>Unusable partial, refused to complete (xstat05p=5 : 153 cases)</li> <li>Refusal for entire field period (xstat05p=6 : 716 cases)</li> <li>Nonfielded -- request no further contact (xstat05p=11 : 42 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Fielded -- unable (xstat05p=8 : 43 cases)</li> <li>Nonfielded -- Permanent handicapped (xstat05p=9 : 2 cases)</li> <li>Nonfielded -- non-respondent in both 77 &amp; 94, not in mail only sample &amp; reported at least one living sibling (xstat05p=10 : 1153 cases)</li> <li>Fielded -- noncontact (xstat05p=13 : 146 cases)</li> <li>Nonfielded -- error (xstat05p=15 : 4 cases)</li> <li>Fielded -- unable to locate (xstat05p=20 : 122 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Deceased (xstat05p=7 : 1226 cases)</li> </ul>	<ul style="list-style-type: none"> <li>No selected sibling and had unknown number of living sibling (xstat05p=19 &amp; sibslv=-3 &amp; gk068sc=.) : 27 cases)</li> <li>Nonfielded -- nonrespondent in both 77 &amp; 94, not in mail only sample, with known number of living sibling (xstat05p=10 &amp; [sibslv=-3 &amp; gk068sc=.] : 1572 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Nonfielded -- sibling also grad or selected sibling of another grad (xstat05p=16 : 27 cases)</li> </ul>	<ul style="list-style-type: none"> <li>No selected sibling and reported no living sibling (xstat05p=19 &amp; [sibslv=0   gk068sc=0] : 712 cases)</li> <li>Nonfielded -- nonrespondent in both 77 &amp; 94, not in mail only sample, and reported no living sibling (xstat05p=10 &amp; [sibslv=0   gk068sc=0] : 78 cases)</li> </ul>
2005 Sib Mail Interview (xstat05m)	<ul style="list-style-type: none"> <li>Mail returned, entire phone interview completed (xstat05m=1 : 3495 cases)</li> <li>Mail returned, partial useable phone completed (xstat05m=2 : 77 cases)</li> <li>Mail returned, no useable phone completed (xstat05m=3 : 405 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Mail sent not returned, completed phone interview (xstat05m=4 &amp; xstat05p=1 : 601 cases)</li> <li>Mail sent not returned, useable partial phone interview (xstat05m=4 &amp; xstat05p=2,3 : 98 cases)</li> <li>Mail sent not returned, unuseable partial or refused phone interview (xstat05m=4 &amp; xstat05p=4,5,6 : 501 cases)</li> <li>Mail not sent, unusable partial or refused phone interview (xstat05m=5 &amp; xstat05p=4,5,6 : 91 cases)</li> <li>Mail not sent, nonfielded phone interview due to request no further contact (xstat05m=5 &amp; xstat05p=11 : 42 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Mail sent not returned, phone interview noncontact (xstat05m=4 &amp; xstat05p=8,9,13,20 : 177 cases)</li> <li>Mail not sent, phone interview noncontact (xstat05m=5 &amp; xstat05p=8,9,13,20 : 31 cases)</li> <li>Mail not sent, phone interview nonfielded due to nonrespondent in both 77 &amp; 94, reported at least one living sibling (xstat05m=5 &amp; xstat05p=10 &amp; gk068sc&gt;0 : 1153 cases)</li> <li>Mail not sent, nonfielded interview due to error (xstat05m=5 &amp; xstat05p=15 : 4 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Mail not sent, phone interview status = deceased (xstat05m=5 &amp; xstat05p=7 : 1226 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Mail not sent and no selected sibling for phone with unknown number of living sibling (xstat05m=5 &amp; xstat05p=19 &amp; sibslv=-3 &amp; gk068sc=.) : 27 cases)</li> <li>Mail not sent and phone nonfielded -- nonrespondent in both 77 &amp; 94, not in mail only sample, with known number of living sibling (xstat05m=5 &amp; xstat05p=10 &amp; [sibslv=-3 &amp; gk068sc=.] : 1572 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Mail not sent and phone nonfielded -- sibling also grad or selected sibling of another grad (xstat05m=5 &amp; xstat05p=16 : 27 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Mail not sent and no selected sibling for phone and reported no living sibling (xstat05m=5 &amp; xstat05p=19 &amp; [sibslv=0   gk068sc=0] : 712 cases)</li> <li>Mail not sent and phone nonfielded -- nonrespondent in both 77 &amp; 94, not in mail only sample, and reported no living sibling (xstat05m=5 &amp; xstat05p=10 &amp; [sibslv=0   gk068sc=0] : 78 cases)</li> </ul>
2005 Sib Spouse Phone Interview (xstat05s)	<ul style="list-style-type: none"> <li>Complete interview (xstat05s=1 : 2099 cases)</li> <li>Useable partial, out of field before completion (xstat05s=2 : 2 cases)</li> <li>Useable partial, refused to complete (xstat05s=3 : 24 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Unusable partial, refused to complete (xstat05s=5 : 19 cases)</li> <li>Refusal for entire field period (xstat05s=6 : 795 cases)</li> <li>Nonfielded - request no further contact (xstat05s=11 : 1 case)</li> </ul>	<ul style="list-style-type: none"> <li>Fielded - unable (xstat05s=8 : 61 cases)</li> <li>Fielded -- noncontact (xstat05s=13 : 44 cases)</li> <li>Eligible sibs who did not complete the entire phone interview in 2005 but not deceased (xstat05s=18 &amp; xstat05p~7 &amp; sib eligible : 2601 cases)</li> <li>Nonfielded -- out of field before retrace complete (xstat05s=20 : 27 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Deceased (xstat05s=7 : 22 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Sib did not complete the entire interview (xstat05s=18) due to unknown eligibility (1597 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Nonfielded - spouse also grad (xstat05s=16 : 18 cases)</li> <li>Nonfielded - spouse also sib (xstat05s=17 : 37 cases)</li> </ul>	<ul style="list-style-type: none"> <li>Nonfielded -- divorced according to spouse fielding attempt (xstat05s=15 : 15 cases)</li> <li>Sib not married in 2005 (xstat05s=19 : 947 cases)</li> <li>Sib did not complete the entire interview due to death (xstat05s=18 &amp; xstat05p=7 : 1220 cases)</li> <li>Sib did not complete the entire interview (xstat05s=18) because not eligible (788 cases)</li> </ul>